

SixFix® Ring Fixation System

Tray Layout and Instrument Set List | RAR-82-001S




Pic.	Item Number	Qty.	Description
1	RAR-82-SF1S		SixFix circular ring tray SF1
2	RAR-82-SF2S		SixFix foot ring tray SF2
3	RAR-82-SF3S		SixFix strut tray SF3
4	RAR-82-SF4S		SixFix static supports tray SF4
5	RAR-82-SF5S		SixFix hardware tray SF5
6	RAR-82-SF6S		SixFix instrumentation tray SF6
7	RAR-82-SFXS		SixFix accessory items, loaner system



SixFix[®] Circular Ring Tray

RAR-82-SF1S




Pic.	Item Number	Qty.	Description
1	78-20195		2/3 Ring, 195 mm
2	78-20175		2/3 Ring, 175 mm
3	78-20155		2/3 Ring, 155 mm
4	78-20135		2/3 Ring, 135 mm
5	78-10135		Full ring, 135 mm
6	78-10155		Full ring, 155 mm
7	78-10175		Full ring, 175 mm
8	78-10195		Full ring, 195 mm
9	76-11609		SixFix circular ring tray

The below items must be special ordered individually

Pic.	Item Number	Qty.	Description
N/A	78-20225		2/3 Ring, 225 mm (special order)
N/A	78-10225		Full ring, 225 mm (special order)

SixFix[®] Foot Ring Tray


RAR-82-SF2S



Pic.	Item Number	Qty.	Description
1	78-6120L		Foot ring, 180 mm, long
2	78-6120S		Foot ring, 180 mm, short
3	78-6100L		Foot ring, 150 mm, long
4	78-6100S		Foot ring, 150 mm, short
5	71-90180		Foot arch, 180 mm
6	71-90150		Foot arch, 150 mm
7	76-11610		SixFix foot ring tray

SixFix® Strut Tray


Upper Level | RAR-82-SF3S



Pic.	Item Number	Qty.	Description
1	78-20001		Nut, reduction strut
2	78-00010		Reduction strut, short
3	78-00011		Reduction strut, medium
4	78-00012		Reduction strut, large
5	76-11611		SixFix strut tray

SixFix® Strut Tray


Lower Level | RAR-82-SF3S



Pic.	Item Number	Qty.	Description
1	78-00002		Strut assembly w/ add-ons, 100 mm
2	78-00004		Strut assembly w/ add-ons, 50 mm
3	78-00003		Strut assembly, 50 mm
4	78-00001		Strut assembly, 100 mm
5	25-0045		Shoulder screw
6	78-80002		Strut screw add-on, 100 mm
7	78-80001		Strut screw add-on, 50 mm
8	76-11611		SixFix strut tray

SixFix® Static Support Tray


RAR-82-SF4S



Pic.	Item Number	Qty.	Description
1	76-11506		Static strut, short (30 mm)
2	76-11507		Static strut, medium (40 mm)
3	76-11508		Static strut, long (60 mm)
4	76-11509		Static strut, extra long (80 mm)
5	76-11085		Threaded rods, 85 mm
6	76-11115		Threaded rods, 115 mm
7	76-11165		Threaded rods, 165 mm
8	76-11200		Threaded rods, 200 mm
9	76-11300		Threaded rods, 300 mm
10	76-11616		SixFix static supports tray

SixFix[®] Hardware Tray


Upper Level | RAR-82-SF5S



Pic.	Item Number	Qty.	Description
1	76-10187		M6 Ti flange nut, 10 mm hex, std
2	76-10188		M6 Ti flange nut, 10 mm hex, ext
3	76-10161		Standard hex bolt, 6 mm × 12 mm
4	76-10162		Standard hex bolt, 6 mm × 16 mm
5	76-10163		Standard hex bolt, 6 mm × 20 mm
6	76-10104		Wire fixation bolt, XL
7	71-61150		Butt frame connector, 150 mm
8	71-61180		Butt frame connector, 180 mm
9	76-10113		Washer
10	76-10191		Extended connector, short
11	76-10192		Extended connector, long
12	76-10185		M6 hex nut, tall
13	76-11612		SixFix hardware tray

SixFix[®] Hardware Tray


Lower Level | RAR-82-SF5S



Pic.	Item Number	Qty.	Description
1	76-10100		Variable angle clamp, short
2	76-10101		Variable angle clamp, tall
3	76-10203		Rancho cube, 4H
4	76-10204		Rancho cube, 5H
5	76-10149		Half-pin fixation bolt
6	76-10125		Threaded posts, 2H
7	76-10140		Threaded posts, 4H
8	76-10145		Threaded posts, 5H
9	76-10146		Threaded posts, 6H
10	76-20209		Centering sleeve, 4 mm
11	76-20210		Centering sleeve, 5 mm
12	76-10160		Standard hex bolt, 6 mm × 8 mm
13	76-10207		Rancho w/ post, 2H
14	76-10208		Rancho w/ post, 3H
15	76-11612		SixFix hardware tray

SixFix[®] Instrumentation Tray

Upper Level | RAR-82-SF6S




Pic.	Item Number	Qty.	Description
1	76-20106		Olive wire bayonet tip, 1.8 × 400 mm
2	76-20400		Smooth bayonet tip, 1.8 × 400 mm
3	76-20045		Trocar, 4 mm
4	76-20055		Trocar, 5 mm
5	76-20065		Trocar, 6 mm
6	76-20040		Half-pin drill sleeve for 2.2 mm drill, 4 mm
7	76-20050		Half-pin drill sleeve for 3.0 mm drill, 5 mm
8	76-20060		Half-pin drill sleeve for 4.0 mm drill, 6 mm
9	76-11450		Transfixing bone screw
10	76-20042		Drill bit, 2.2 mm × 150 mm
11	76-20052		Drill bit, 3.0 mm × 180 mm
12	76-20062		Drill bit, 4.0 mm × 200 mm
13	76-11613		SixFix instrumentation tray

Pic.	Item Number	Qty.	Description
N/A	76-20107		Olive wire, 2.0 × 400 mm (special order)
N/A	76-20401		Smooth wire, 2.0 × 400 mm (special order)

SixFix[®] Instrumentation Tray


Middle Level | RAR-82-SF6S



Pic.	Item Number	Qty.	Description
1	76-10019		Combo wrench, 13 mm/14 mm, open
2	76-10030		Combo wrench, 10 mm, open and std socket
3	76-10020		Combo wrench, 10 mm
4	76-10018		L-wrench, 5 mm hex, ball end
5	76-10012		Hex driver, 5 mm
6	76-10011		Hex driver, 3/32 in, AO, QC
7	76-10023		Needle nose pliers
8	F4-0215		Tissue protector
9	76-10010		AO torque-limiting handle
10	76-10035		Universal chuck with T-handle
11	76-11613		SixFix instrumentation tray

SixFix[®] Instrumentation Tray


Lower Level | RAR-82-SF6S



Pic.	Item Number	Qty.	Description
1	76-10001		Wire tensioner nose, long
2	SF-6478		Wire tensioner nose, short
3	76-10000		Wire tensioner
4	76-11613		SixFix instrumentation tray

SixFix® Accessory Items

RAR-82-SFXS




Pic.	Item Number	Qty.	Description
1	71-82000		Foot rocker kit, short
2	76-10002		Strut clip PAC (6 each)
3	76-10017		Wrench, 1-sided, 14 mm
4	76-10230		Wire cap PAC (5 each)
5	76-10234		Half-pin cap, 4 mm PAC (5 each)
6	76-10235		Half-pin cap, 5 mm PAC (5 each)
7	76-10236		Half-pin cap, 6 mm PAC (5 each)

Sterile Items

Pic.	Item Number	Qty.	Description
8	SF1304		Pin adaptor, QC, AO, 4 mm
9	SF1305		Pin adaptor, QC, AO, 5 mm
10	SF1306		Pin adaptor, QC, AO, 6 mm
11	ST134120HA		Half-pin, 4 × 34 × 120 mm, HA-coated
	ST134150HA		Half-pin, 4 × 40 × 150 mm, HA-coated
	ST145120HA		Half-pin, 5 × 34 × 120 mm, HA-coated
	ST145150HA		Half-pin, 5 × 40 × 150 mm, HA-coated
	ST145180HA		Half-pin, 5 × 50 × 180 mm, HA-coated
	ST156150HA		Half-pin, 6 × 40 × 150 mm, HA-coated
	ST156180HA		Half-pin, 6 × 50 × 180 mm, HA-coated
	F4-134120		Half-pin, 4 × 34 × 120 mm
	F4-134150		Half-pin, 4 × 40 × 150 mm
	F4-145120		Half-pin, 5 × 34 × 120 mm
12	F4-145150		Half-pin, 5 × 40 × 150 mm
	F4-145180		Half-pin, 5 × 50 × 180 mm
	F4-156150		Half-pin, 6 × 40 × 150 mm
	F4-156180		Half-pin, 6 × 50 × 180 mm
	F4-156200		Half-pin, 6 × 60 × 200 mm

SixFix[®] Hexapod Adjustment Tray

RAR-83-001S



RAR-83-SFAS


Pic.	Item Number	Qty.	Description
1	76-10010		AO torque-limiting handle
2	76-10018		L-wrench, 5 mm hex, ball end
3	78-80001		Strut screw add-on, 50 mm
4	78-80002		Strut screw add-on, 100 mm
5	25-0045		Shoulder screw
6	76-10020		Combo wrench, 10 mm
7	76-10011		Hex driver, 3/32 in, AO, QC
8	76-11614		SixFix hexapod adjustment tray

RAR-83-SFXS

Pic.	Item Number	Qty.	Description
N/A	71-00004		Strut clip PAC (6 each)

SixFix[®] Hardware Removal Tray

RAR-84-001S



RAR-84-SFRS

Pic.	Item Number	Qty.	Description
1	76-10038		Wire cutter
2	76-10023		Needle nose pliers
3	76-10018		L-wrench, 5 mm hex, ball end
4	76-10035		Universal chuck with T-handle
5	76-10020		Combo wrench, 10 mm
6	76-10019		Combo wrench, 13 mm/14 mm, open
7	76-11615		SixFix hardware removal set

SixFix[®] Ring Fixation System

Estimated Tray Weights and Dimensions

Item Number	Description	Weight (lbs)	Dimensions (in) L × W × H
RAR-82-SF1S	SixFix circular ring tray SF1	21.47	21.23 × 9.93 × 8.79
RAR-82-SF2S	SixFix foot ring tray SF2	14.07	21.23 × 9.93 × 5.31
RAR-82-SF3S	SixFix strut tray SF3	23.82	21.23 × 9.93 × 3.12
RAR-82-SF4S	SixFix static supports tray SF4	10.79	21.23 × 9.93 × 6.56
RAR-82-SF5S	SixFix hardware tray SF5	18.81	21.23 × 9.93 × 3.63
RAR-82-SF6S	SixFix instrumentation tray SF6	23.40	21.23 × 9.93 × 6.34
RAR-83-SFAS	SixFix accessory items, loaner system	5.02	21.23 × 9.93 × 3.12
RAR-84-SFRS	SixFix hardware removal set	7.82	21.23 × 9.93 × 3.12

To obtain a copy of a product's directions for use (DFU), which includes sterilization instructions, please visit our website at www.arthrex.com/edfu or contact your local representative.

arthrex.com

© 2026-06 Arthrex, Inc. All rights reserved. DOC1-002145-en-US_A

