

Large-headed screws present challenges to foot and ankle surgeons performing midfoot and hindfoot procedures. Screw head prominence can create patient discomfort and may result in hardware removal. The fully threaded, headless, titanium 5.0 mm large and 7.0 mm X-large Compression FT screws give surgeons the ability to achieve zero-profile, stable fixation with optimized compression. This offering completes the Compression FT family of screws that now provides a total of 5 diameters and 91 unique screw lengths to fit the various orthopedic applications throughout the body.



## Key Features and Benefits:

- Variable-stepped thread pitch Wider pitch at the screw tip enters the bone faster than trailing threads, gradually compressing fragments as the screw is advanced
- Tapered proximal diameter tail Provides a buttress-like effect for the screw to compress in softer bone
- Headless Minimal risk of impingement or soft-tissue irritation
- Multiple size options 5.0 mm (24 lengths from 20 mm-90 mm) and 7.0 mm (22 lengths from 35 mm-140 mm)
- Cannulation Assists in accurate placement
- Improved torque transmission Hexalobe (T15 and T25) recess



## Compression FT Screw System (AR-8750S)

| Product Description  | Item Number   |
|--|---|
| Instruments  |   |
| Depth Device   | AR- <b>8750-01</b>  |
| Percutaneous Drill Guide   | AR- <b>8750-02</b>  |
| Guidewire Plunger  | AR- <b>8737-56</b>  |
| Screw Holding Forceps  | AR- <b>8941F</b>  |
| Sharp Hook   | AR- <b>8943-21</b>  |
| 5.0 mm/7.0 mm Compression FT Instrument Case   | AR- <b>8750C</b>  |
| Instruments for 5.0 mm Large Compression FT Screws   |   |
| Driver, T15 hexalobe, ISO, cannulated, qty. 2  | AR- <b>8750-03</b>  |
| Driver, T15 hexalobe, ISO, solid   | AR- <b>8750-06</b>  |
| Guidewire Sleeve, 1.6 mm   | AR- <b>8750-07</b>  |
| Soft Tissue Protector, 1.6 mm  | AR- <b>8750-08</b>  |
| Drill Sleeve, 5.0 mm large   | AR- <b>8750-12</b>  |
| Screwdriver Handle, ratcheting, AO, cannulated   | AR- <b>8970RH</b>   |
| Trephine/Extractor, 5.0 mm large   | AR- <b>8750-11</b>  |
| Instruments for 7.0 mm X-Large Compression FT Sc   | rews  |
| Driver, T25 hexalobe, ISO, cannulated, qty. 2  | AR- <b>8770-01</b>  |
| Driver, T25 hexalobe, ISO, solid   | AR- <b>8770-04</b>  |
| Guidewire Sleeve, 2.4 mm   | AR- <b>8770-05</b>  |
| Soft Tissue Protector, 2.4 mm  | AR- <b>8770-06</b>  |
| Drill Sleeve, 7.0 mm X-large   | AR- <b>8770-09</b>  |
| Screwdriver Handle, ratcheting, tri-lobe axial handle  | AR- <b>8770RH</b>   |
| Screwdriver Handle, ratcheting, tri-lobe T-handle  | AR- <b>8770TH</b>   |
| Trephine/Extractor, 7.0 mm X-large   | AR- <b>8770-08</b>  |
| Implants   |   |
| 5.0 mm Large Compression FT Screws<br>20 mm-50 mm (2 mm increments)<br>55 mm-90 mm (5 mm increments)       | AR- <b>8750-20H – 50H</b><br>AR- <b>8750-55H – 90H</b>      |
| 7.0 mm X-Large Compression FT Screws<br>35 mm-120 mm (5 mm increments)<br>125 mm-140 mm (5 mm increments)* | AR- <b>8770-35H – 120H</b><br>AR- <b>8770-125HS – 140HS</b> |


<sup>\*</sup>Available outside of set sterile-packed.

## Disposables (not included in set)

| Product Description                                  | Item Number        |
|--|--------------------|
| 5.0 mm Disposable Instruments                        |                    |
| Guidewire w/ Trocar Tip, 0.062 in (1.6 mm)           | AR- <b>8750K</b>   |
| Guidewire w/ Trocar Tip, threaded, 0.062 in (1.6 mm) | AR- <b>8750KT</b>  |
| Profile Drill, 5.0 mm large                          | AR- <b>8750-05</b> |
| Drill Bit, straight, cannulated, 3.2 mm              | AR- <b>8750-04</b> |
| Drill Bit, straight, cannulated, long, 3.2 mm        | AR- <b>8750-09</b> |
| Drill, cannulated, 3.7 mm                            | AR- <b>8750-13</b> |
| Drill, cannulated, long, 3.7 mm                      | AR- <b>8750-14</b> |
| Easy-Out, large Compression FT                       | AR- <b>8750-10</b> |
| 7.0 mm Disposable Instruments                        |                    |
| Guidewire w/ Trocar Tip, 0.094 in (2.4 mm)           | AR- <b>8770K</b>   |
| Guidewire w/ Trocar Tip, threaded, 0.094 in (2.4 mm) | AR- <b>8770KT</b>  |
| Profile Drill, 7.0 mm X-large                        | AR- <b>8770-03</b> |
| Drill Bit, straight, cannulated, 5 mm                | AR- <b>8770-02</b> |
| Drill, cannulated, 5.2 mm                            | AR- <b>8770-10</b> |
| Easy-Out, X-large Compression FT                     | AR- <b>8770-07</b> |

## Additional Screw Caddies (Optional)

| Product Description                     | Item Number            |
|---|------------------------|
| Compression Screw Caddy, 5.0 mm large   | AR- <b>8750C-SC-01</b> |
| Compression Screw Caddy, 7.0 mm X-large | AR- <b>8750C-SC-02</b> |







Hexalobe T15

Hexalobe T25

This description of technique is provided as an educational tool and clinical aid to assist properly licensed medical professionals in the usage of specific Arthrex products. As part of this professional usage, the medical professional must use their professional judgment in making any final determinations in product usage and technique. In doing so, the medical professional should rely on their own training and experience and should conduct a thorough review of pertinent medical literature and the product's directions for use. Postoperative management is patient-specific and dependent on the treating professional's assessment. Individual results will vary and not all patients will experience the same postoperative activity level or outcomes.

