

Orthobiologics

New Product Spotlight



Arthrex® 

The Arthrex logo consists of the word "Arthrex" in a bold, white, sans-serif font, followed by a registered trademark symbol (®). To the right of the text is a white icon of a pair of surgical scissors, with a white arrow pointing upwards from the top handle.

AutoCart™ Technique

Arthroscopic, Single-Stage Cartilage Restoration

Matrix-Augmented Cartilage Implantation, Simplified

Everything you need to harvest and reimplant particulate osteochondral tissue in a single procedure, including point-of-care preparation of PRP and an autologous thrombin solution for enhanced bone ingrowth and graft fixation.^{1,2}



Learn more about the Arthrex cartilage repair algorithm at JointPreservation.Arthrex.com






References

1. Drakos MC, Eble SK, Cabe TN, et al. Comparison of functional and radiographic outcomes of talar osteochondral lesions repaired with micronized allogenic cartilage extracellular matrix and bone marrow aspirate concentrate vs microfracture. *Foot Ankle Int.* 2021;42(7):841-850. doi:10.1177/1071100720983266
2. Irwin RM, Bonassar LJ, Cohen J, et al. The clot thickens: autologous and allogeneic fibrin sealants are mechanically equivalent in an ex vivo model of cartilage repair. *PLoS One.* 2019;14(11):e0224756. doi:10.1371/journal.pone.0224756

Arthrex Shaver Blades
Resect viable tissue



GraftNet™ System
Resect and Collect™



BioCartilage®
Extracellular Matrix
The ideal scaffold



Thrombinator™ System
Autologous sealant



Arthrex ACP® System
Autologous growth factors

Comprehensive PRP Solutions

Angel® System

The Angel concentrated platelet-rich plasma (cPRP) system is the only fully automated system with proprietary 3-sensor technology for preparation of adjustable cellular concentrations of PRP and cPRP from bone marrow aspirate (BMA).

ACP Max™ PRP System

The ACP Max triple-syringe system uses a double-spin regimen to produce PRP from 30 mL, 60 mL, or 90 mL of whole blood (WB), resulting in up to 12× over baseline platelet concentration and a greater than 97% reduction of neutrophils.¹⁻³

Arthrex ACP® Double-Syringe System

The Arthrex ACP (autologous conditioned plasma) double-syringe system allows for rapid and efficient concentration of platelets from 15 mL of WB, providing a PRP that is low in neutrophils in just 5 minutes.



References


1. Arthrex, Inc. Data on file (APT 5368). Naples, FL; 2021.
2. Arthrex, Inc. Data on file (APT 5535). Naples, FL; 2022.
3. Arthrex, Inc. Data on file (APT-5756). Naples, FL; 2022.

BioACL™ Technique

Improve ACL Bone Tunnel Healing and Redefine Outcomes With Next-Generation Biologics

Bone tunnels are filled with the BioACL composite mixture to promote and accelerate tibial and femoral tunnel remodeling.¹

Better patient-reported outcomes, greater range-of-motion, and less bone tunnel widening¹



Patient A
2 years post-op
Non-augmented ACL reconstruction



Patient B
2 years post-op
BioACL reconstruction




Learn more about the BioACL technique

Reference


1. Lavender CD, Schaver AL, Taylor S, et al. Anterior cruciate ligament reconstruction augmentation with bone marrow aspirate concentrate, demineralized bone matrix, and suture tape shows no difference in outcomes—but faster functional recovery—versus non-augmented anterior cruciate ligament reconstruction. *Arthroscopy*. doi:10.1016/j.arthro.2024.06.042

Give Patients the Freedom of Faster Functional Recovery¹



Vortex™ Threaded Recovery Needle

Maximize the concentration of medicinal signaling cells (MSCs) from bone marrow aspirate harvested using the Vortex threaded recovery needle.



AlloSync™ Pure Demineralized Bone Matrix

Fill ACL tunnels with an osteoinductive, cutting-edge bone graft made of 100% demineralized bone matrix, with no extrinsic carriers, that resists irrigation.




Angel® cPRP from BMA

Process MSCs from bone marrow aspirate with the best-in-class BMA processing system.



GraftNet™ Autologous Tissue Collector

Easily collect autologous bone into a sterile filtered chamber to enhance bone stabilization and biological healing.



QuadLink™ Presutured Construct



The only presutured quadriceps allograft, presized and presutured with #2 FiberLoop® with FiberTag™ suture. Compatible with ACL TightRope® II implants.

References

1. Lavender CD, Schaver AL, Taylor S, et al. Anterior cruciate ligament reconstruction augmentation with bone marrow aspirate concentrate, demineralized bone matrix, and suture tape shows no difference in outcomes—but faster functional recovery—versus non-augmented anterior cruciate ligament reconstruction. *Arthroscopy*. doi:10.1016/j.arthro.2024.06.042

CuffMend™ Rotator Cuff Augmentation System

Fast Fixation. Supports Healing.^{1,2}



ArthroFLEX® Human Dermal Allograft

Provides integration and supplemental support to the native tissue while reducing the incidence of retears.³⁻⁵

Implantation of the CuffMend system is designed to be completed in <10 minutes

Applications for revision cuff repair, poor tissue quality, and treating patients with comorbidities that impede healing.⁶

FiberStitch™ RC 1.5 Implant

Allows for quick, secure, suture-based medial graft fixation.

References

1. Ely EE, Figueroa NM, Gilot GJ. Biomechanical analysis of rotator cuff repairs with extracellular matrix graft augmentation. *Orthopedics*. 2014;37(9):608-614. doi:10.3928/01477447-20140825-05
2. Smith MJ, Bozynski CC, Kuroki K, Cook CR, Stoker AM, Cook JL. Comparison of biologic scaffolds for augmentation of partial rotator cuff tears in a canine model. *J Shoulder Elbow Surg*. 2020;29(8):1573-1583. doi:10.1016/j.jse.2019.11.028
3. Gilot GJ, Alvarez-Pinzon AM, Barcksdale L, Westerdahl D, Krill M, Peck E. Outcome of large to massive rotator cuff tears repaired with and without extracellular matrix augmentation: a prospective comparative study. *Arthroscopy*. 2015;31(8):1459-1465. doi:10.1016/j.arthro.2015.02.032
4. Bailey JR, Kim C, Alentorn-Geli E, et al. Rotator cuff matrix augmentation and interposition: a systematic review and meta-analysis. *Am J Sports Med*. 2019;47(6):1496-1506. doi:10.1177/0363546518774762
5. Hartzler RU, Softic D, Qin X, Dorfman A, Adams CR, Burkhart SS. The histology of a healed superior capsular reconstruction dermal allograft: a case report. *Arthroscopy*. 2019;35(10):2950-2958. doi:10.1016/j.arthro.2019.06.024
6. Kwon J, Kim SH, Lee YH, Kim TI, Oh JH. The Rotator Cuff Healing Index: A new scoring system to predict rotator cuff healing after surgical repair. *Am J Sports Med*. 2019;47(1):173-180. doi:10.1177/0363546518810763



ArthroFLEX is a registered trademark of LifeNet Health.

BoneSync™ Calcium Phosphate Cement

The Answer to Poor Lateral Row Bone Quality

Fast setting to allow immediate supplemental fixation and strength to a surgical repair site¹ with a collagen-infused calcium phosphate

■ Anchor Fixation at the First Punch


Addition of BoneSync bone void filler can significantly increase anchor fixation strength in poor-quality bone.¹

■ Ideal Porosity for Integration

Infused collagen provides a macroporosity structure allowing for osseointegration that is resorbed and replaced with new bone.

■ Inject and Set

The porous calcium phosphate is injectable and hardware-compatible, enhancing structural bone support.



Reference

1. Arthrex, Inc. Data on file (APT-04387). Naples, FL; 2019.


Learn more about
BoneSync calcium
phosphate



JumpStart[®] Antibacterial Dressings

Extend Infection Control Beyond the Operating Room

Powered by Advanced Microcurrent Technology[®], JumpStart antibacterial wound dressings are inspired by the body's natural electrical healing process.




Elemental silver and elemental zinc microcell batteries generate an electric field when hydrated, to provide protection against a broad spectrum of bacteria¹⁻³ and support the body's natural electrical healing process.

References

1. Kim H, Makin I, Skiba J, et al. Antibacterial efficacy testing of a bioelectric wound dressing against clinical wound pathogens. *Open Microbiol J.* 2014;8:15-21. doi:10.2174/1874285801408010015
2. Banerjee J, Das Ghatak P, Roy S, et al. Silver-zinc redox-coupled electrochemical wound dressing disrupts bacterial biofilm. *PLoS One.* 2015;10(3):e0119531. doi:10.1371/journal.pone.0119531
3. Kim H, Izadjoo MJ. Antibiofilm efficacy evaluation of a bioelectric dressing in mono- and multi-species biofilms. *J Wound Care.* 2015;24 Suppl 2:S10-S14. doi:10.12968/jowc.2015.24.Sup2.S10

arthrex.com

© 2025-02 Arthrex, Inc. All rights reserved. evBR1-002486-en-US_E



JumpStart[®] ClearFit[™] Dressings

Features advanced microcurrent technology, with a clear gentle adhesive layer.



Arthrex[®]