racio 47.06

Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

APR 3 2006

Ms. Ann Waterhouse, RAC Regulatory Affairs Project Manager Arthrex, Inc. 1370 Creekside Boulevard Naples, Florida 34108-1945

Re: K053543

Trade/Device Name: Arthroeresis Implant Regulation Number: 21 CFR 888.3040

Regulation Name: Smooth or threaded metallic bone fixation fastener

\$1.5 Page 1995 Control #20 20 Digital State Span Square Control Span Span State State State Span Span Span Span

Regulatory Class: II
Product Codes: HWC
Dated: March 20, 2006
Received: March 21, 2006

Dear Ms. Waterhouse:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set

Page 2 - Ms. Ann Waterhouse, RAC

forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/industry/support/index.html.

Sincerely yours,

Mark N. Melkerson, M.S.

Director

Division of General, Restorative and Neurological Devices

Office of Device Evaluation

Center for Devices and Radiological Health

Enclosure

510(k) Number (if known): K053543

Device Name: Arthrex Arthroeresis Implant

Indications for Use:

The Arthrex Subtalar (Arthoeresis) Implant is intended to assist in treating the hyperpronated foot by stabilizing the subtalar joint. It is intended to block forward, downward, and medial displacement of the talus thereby limiting excessive eversion of the hindfoot.

Examples include:

- Symptomatic acquired flat foot treatment in children and adolescents
- Symptomatic congenital flexible flat foot
- Tarsal coalitions when associated with a flatfoot deformity
- Posterior tibial tendon dysfunction with supple feet
- Paralytic flat foot

Prescription Use	X	
(Part 21 CFR 801	Subpart D)	

AND/OR

Over-The-Counter Use _____ (21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE OF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Page 1 of 1

(Division Sign-Off)

Division of General, Restorative, and Neurological Devices

510(k) Number 4053543