


Arthroscopic Instrument System (AR-8656S)



The new arthroscopic instrument system is a comprehensive and versatile system. The instruments were designed with improved material properties to be more durable, more functional, and more ergonomic.

Each family of instruments is color-coordinated based on instrument type. All handles have been upgraded for a more ergonomic feel and are now made out of titanium. Another feature on all of the handled instruments is the indicator knob, which gives surgeons the tactile feedback to quickly find the working end of the instrument.








The Apollo^{RF} SJ50 probe is the first radio frequency probe with optimized aspiration for small-joint arthroscopy.

It features 360° edge control for precise debridement, an anatomic 50-degree tip configured to reach and ablate tissue precisely, and a streamlined design for ease of access in small joints. The SJ50 also has a low default ablation setting for reduced energy delivery.



Ordering Information



Arthroscopic Instrument System (AR-8656S) (a)

| Product Description | Item Number |
|--|--------------------|
| Punch, slender, straight, 2.75 mm × 100 mm | AR- 31100 |
| Punch, large, straight, 2.75 mm × 100 mm | AR- 31200 |
| Punch, standard, 45° right, 2.75 mm × 100 mm | AR- 31460 |
| Punch, standard, 45° left, 2.75 mm × 100 mm | AR- 34170 |
| Scissor, straight tip, straight, 2.75 mm × 100 mm | AR- 31140 |
| Mini Suture Retriever, straight, 2.75 mm × 100 mm | AR- 31540 |
| Grasper, gator hook w/ self-releasing handle, 2.75 mm × 100 mm | AR- 31600SR |
| Grasper, pointed, straight w/ self-releasing handle, 2.75 mm × 100 mm | AR- 31700SR |
| Grasper, pointed straight tip, 25 degree down curved shaft w/ SR handle, 2.75 mm x 10 mm | AR- 31740SR |
| Micro FiberTape® Retriever, straight, self-releasing handle, 2.75 mm × 100 mm | AR- 31974SR |
| Rongeur, 5", straight, 4 mm × 100 mm | AR- 32200 |
| Rongeur, 5", up, 4 mm × 100 mm | AR- 32210 |
| Rongeur, 5", down, 4 mm × 100 mm | AR- 32220 |
| Chondral Pick, 30° | AR- 8656-01 |
| Chondral Pick, 60° | AR- 8656-02 |
| Chondral Pick, concave, 90° | AR- 8656-03 |
| Chondral Pick, straight | AR- 8656-04 |
| Strike Plate Attachment | AR- 8656-10 |
| Strike Plate handle | AR- 8656-11 |
| Osteotome, angled | AR- 8656-20 |
| Osteotome, straight | AR- 8656-21 |

| Product Description | Item Number |
|------------------------------------|--------------------|
| Osteotome, straight, large | AR- 8656-22 |
| Curette, straight, double-ended | AR- 8656-30 |
| Curette, curved, double-ended | AR- 8656-31 |
| Cup Curette, large, Straight | AR- 8656-32 |
| Cup Curette, large, Angled | AR- 8656-33 |
| Cup Curette, large, Curved Shaft | AR- 8656-34 |
| Cup Curette, double sided | AR- 8656-35 |
| Ring Curette, large, straight | AR- 8656-40 |
| Ring Curette, small, reverse angle | AR- 8656-41 |
| Ring Curette, small, angled | AR- 8656-42 |
| Ring Curette, small, straight | AR- 8656-43 |
| Cobb Elevator | AR- 8656-50 |
| OCD Elevator, blunt | AR- 8656-51 |
| OCD Elevator, sharp | AR- 8656-52 |
| Tamp, bone graft | AR- 8656-70 |
| Cannula, bone graft | AR- 8656-71 |
| Probe, double-sided, 4 mm / 5 mm | AR- 8656-80 |
| Mallet, 5 oz | PI- 3016 |
| Ankle Arthroscopy Instrument Case | AR- 8656C |

Apollo^{RF®} Small Joint Probe

| Product Description | Item Number |
|---------------------------------|-----------------|
| Apollo ^{RF} SJ50 Probe | AR- 9845 |

 $View\ U.S.\ patent\ information\ at\ www.arthrex.com/corporate/virtual-patent-marking$



