

Inventory Control Form: Compression FT Screw System (5.0 mm Large and 7.0 mm X-Large) – AR-8750S



© 2019 Arthrex, Inc. (USA) LF1-00013-EN_B; To Order Call: 1-800-934-4404

Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

5.0 mm Large Compression FT Screws, Cannulated, Titanium, Fully Threaded, Variable-Stepped Pitch



| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|-------------|--------|------|-----|
| | AR-8750-20H | 20 mm | | |
| | AR-8750-22H | 22 mm | | |
| | AR-8750-24H | 24 mm | | |
| | AR-8750-26H | 26 mm | | |
| | AR-8750-28H | 28 mm | | |
| | AR-8750-30H | 30 mm | | |
| | AR-8750-32H | 32 mm | | |
| | AR-8750-34H | 34 mm | | |
| | AR-8750-36H | 36 mm | | |
| | AR-8750-38H | 38 mm | | |
| | AR-8750-40H | 40 mm | | |
| | AR-8750-42H | 42 mm | | |

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|-------------|--------|------|-----|
| | AR-8750-44H | 44 mm | | |
| | AR-8750-46H | 46 mm | | |
| | AR-8750-48H | 48 mm | | |
| | AR-8750-50H | 50 mm | | |
| | AR-8750-55H | 55 mm | | |
| | AR-8750-60H | 60 mm | | |
| | AR-8750-65H | 65 mm | | |
| | AR-8750-70H | 70 mm | | |
| | AR-8750-75H | 75 mm | | |
| | AR-8750-80H | 80 mm | | |
| | AR-8750-85H | 85 mm | | |
| | AR-8750-90H | 90 mm | | |

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Inventory Control Form: Compression FT Screw System (5.0 mm Large and 7.0 mm X-Large) – AR-8750S



© 2019 Arthrex, Inc. (USA) LF1-00013-EN_B; To Order Call: 1-800-934-4404

Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

7.0 X-Large Compression FT Screws, Cannulated, Titanium, Fully Threaded, Variable-Stepped Pitch

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|-------------|--------|------|-----|
| | AR-8770-35H | 35 mm | | |
| | AR-8770-40H | 40 mm | | |
| | AR-8770-45H | 45 mm | | |
| | AR-8770-50H | 50 mm | | |
| | AR-8770-55H | 55 mm | | |
| | AR-8770-60H | 60 mm | | |
| | AR-8770-65H | 65 mm | | |
| | AR-8770-70H | 70 mm | | |
| | AR-8770-75H | 75 mm | | |



| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|--------------|--------|------|-----|
| | AR-8770-80H | 80 mm | | |
| | AR-8770-85H | 85 mm | | |
| | AR-8770-90H | 90 mm | | |
| | AR-8770-95H | 95 mm | | |
| | AR-8770-100H | 100 mm | | |
| | AR-8770-105H | 105 mm | | |
| | AR-8770-110H | 110 mm | | |
| | AR-8770-115H | 115 mm | | |
| | AR-8770-120H | 120 mm | | |

(Sterile) 7.0 X-Large Compression FT Screws, Cannulated, Titanium, Fully Threaded, Variable-Stepped Pitch

| QTY | PRODUCT # | LENGTH | LOT# | UDI |
|-----|---------------|--------|------|-----|
| | AR-8770-125HS | 125 mm | | |
| | AR-8770-130HS | 130 mm | | |
| | AR-8770-135HS | 135 mm | | |
| | AR-8770-140HS | 140 mm | | |

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Inventory Control Form: Compression FT Screw System (5.0 mm Large and 7.0 mm X-Large) — AR-8750S



© 2019 Arthrex, Inc. (USA) LF1-00013-EN_B; To Order Call: 1-800-934-4404

Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

5.0 mm Disposable Instruments

| QTY | PRODUCT # | DESCRIPTION | LOT# | UDI |
|-----|------------|--|------|-----|
| | AR-8750-09 | Drill Bit, straight, cannulated, 3.2 mm | | |
| | AR-8750-04 | Drill Bit, straight, cannulated, 3.2 mm | | |
| | AR-8750-05 | Profile Drill, large, 5 mm | | |
| | AR-8750-11 | Trephine/Screw Extractor, 5.0 mm large | | |
| | AR-8750K | Guidewire w/ Trocar Tip, 0.062 in (1.6 mm) | | |
| | AR-8750KT | Guidewire w/ Trocar Tip, threaded, 0.062 in (1.6 mm) | | |

7.0 mm Disposable Instruments

| QTY | PRODUCT # | DESCRIPTION | LOT# | UDI |
|-----|------------|--|------|-----|
| | AR-8770-02 | Drill Bit, straight, cannulated, 5 mm | | |
| | AR-8770-03 | Profile Drill, X-large, 7 mm | | |
| | AR-8770-08 | Trephine/Extractor, X-large, 7.0 mm | | |
| | AR-8770K | Guidewire w/ Trocar Tip, 0.094 in (2.4 mm) | | |
| | AR-8770KT | Guidewire w/ Trocar Tip, threaded, 0.094 in (2.4 mm) | | |