Inventory Control Form: LPS—Forefoot Screw System Module—AR-8932S





Pat	ient Information	:							Date:					
									Hospit	al:				
									-					
										····				
2 mr	n QuickFix™ So	crews =							3 mr	n QuickFix Sc	rew, Titaniu	ım \subset	<u> </u>	
QTY	PRODUCT#	LENGTH	PRICE	LOT #	ŧ	UDI			QTY	PRODUCT #	LENGTH	PRICE	LOT#	UDI
	AR-8930-10	10 mm								AR-8931-13	13 mm			
	AR-8930-11	11 mm								AR-8931-15	15 mm			
	AR-8930-12	12 mm								AR-8931-17	17 mm			
	AR-8930-13	13 mm								AR-8931-19	19 mm			
	AR-8930-14	14 mm				222 223								
2 mr	n and 3 mm Q	uickFix Scre	w Instrum	ents										
QTY	PRODUCT #	DESCRIPTION			PRICE		LOT#	UDI						

3 mm Partially Threaded Cannulated Screws

AR-4160-20

AR-8930D-13 Drill Bit, 1.3 mm for 2 mm Screw

Drill Bit, 2 mm for 3 mm Screw

QTY	PRODUCT #	LENGTH	PRICE	LOT#	UDI
	AR-8933-10PT	10 mm			
	AR-8933-12PT	12 mm			
	AR-8933-14PT	14 mm			
	AR-8933-16PT	16 mm			
	AR-8933-18PT	18 mm			22
	AR-8933-20PT	20 mm			
	AR-8933-22PT	22 mm			

QTY	PRODUCT #	LENGTH	PRICE	LOT#	UDI
	AR-8933-24PT	24 mm			
	AR-8933-26PT	26 mm			
	AR-8933-28PT	28 mm			
	AR-8933-30PT	30 mm			
	AR-8933-32PT	32 mm			
	AR-8933-34PT	34 mm			
	AR-8933-36PT	36 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the named recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Page 1 of 3

Inventory Control Form: LPS—Forefoot Screw System Module—AR-8932S






Pati	ient Information:	Date:								
		Hospital:								
				Surg	jeon: _					
Disp	osables									
QTY	PRODUCT # DESCRIPTION	PRICE	LOT #	t l	JDI					
	AR-8932K Guidewire w/Trocar Tip .045" (1.1 mm)			İ						
	AR-13240K Guidewire, w/Trocar Tip .034" (.86 mm)									
	AR-13240KT Guidewire w/Trocar Tip threaded, .034" (.86 mm)									
3 m	m Partially Threaded Instruments									
QTY	PRODUCT # DESCRIPTION	PRICE	LOT #	#	UDI					
	AR-8933-20C Drill Bit, cannulated, 2 mm									
	AR-8933G Drill Guide, 1.1 mm/2 mm									
	AR-8932-30 Depth Device/Countersink/ Guidewire .045" (1.1 mm)									
	AR-8933D Driver, cannulated, 2.5 mm Hex									
	AR-8930G Depth Guide (for 3 mm QuickFix Screw)									
2.3	mm Lag Screws, Cannulated									
QTY	PRODUCT# LENGTH PRICE LOT# UI	DI		QTY	PROD	UCT#	LENGTH	PRICE	LOT #	UDI
	AR-13120T-10C 10 mm	2			AR-1	3120T-20C	20 mm			

YTÇ	PRODUCT #	LENGTH	PRICE	LOT #	UDI	QTY	PRODUCT #	LENGTH	PRICE	LOT #	UDI
	AR-13120T-10C	10 mm					AR-13120T-20C	20 mm			
	AR-13120T-12C	12 mm					AR-13120T-22C	22 mm			
	AR-13120T-14C	14 mm			9800 688		AR-13120T-24C	24 mm			
	AR-13120T-16C	16 mm					AR-13120T-26C	26 mm			
	AR-13120T-18C	18 mm					AR-13120T-28C	28 mm			
							AR-13120T-30C	30 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the named recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Page 2 of 3

Inventory Control Form: LPS—Forefoot Screw System Module—AR-8932S





Pat	ient Information:					Date	9:				
						Hos	pital:				
						Surg	Jeon				
2.3	mm Screws, Ful	ly Threaded,	, Solid								
QTY	PRODUCT #	LENGTH	PRICE	LOT#	UDI	QTY	PRODUCT #	LENGTH	PRICE	LOT#	UDI
	AR-13120T-10	10 mm					AR-13120T-22	22 mm			
	AR-13120T-12	12 mm			200		AR-13120T-24	24 mm			200
	AR-13120T-14	14 mm					AR-13120T-26	26 mm			
	AR-13120T-16	16 mm					AR-13120T-28	28 mm			
	AR-13120T-18	18 mm			322		AR-13120T-30	30 mm			22
	AR-13120T-20	20 mm			2000 1666						

2.3 mm LPS Screw Instruments

QTY	PRODUCT #	DESCRIPTION	PRICE	LOT#	UDI	
	AR-1201-7DC	Drill Bit, cannulated, 1.7 mm				
	AR-1201.7D	Drill Bit, 1.7 mm				
	AR-1202-3D	Drill Bit, 2.3 mm				
	AR-13120G-2	Depth Device, mini (hook tip)				
	AR-8932-23	Depth Device/Countersink/Guidewire .034" (.86 mm)				
	AR-13220DG	Drill Guide, low profile				

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the named recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Page 3 of 3