© 2018 Arthrex, Inc. (USA) LF1-00010-EN\_B; To Order, Call: 1-800-934-4404



Pati	ent Information:						Date:					
							Hospital:					
							Surgeon:					
							Jurgeon:					
3.0	mm Fibular Nails,	, left				3.0	mm Fibular Nails,	right				
QTY	PRODUCT #	DESCRIPTION	LOT#	UDI		QTY	PRODUCT #	DESCRIF	PTION	LOT#	UDI	
	AR-8973L-30-130	3.0 mm × 130 mm					AR-8973R-30-130	3.0 mm	n × 130 mm			
	AR-8973L-30-180	3.0 mm × 180 mm					AR-8973R-30-180	3.0 mm	1 × 180 mm			
3.8	mm Fibular Nails	, left				3.8	mm Fibular Nails,	right				
QTY	PRODUCT #	DESCRIPTION	LOT #	UDI		QTY	PRODUCT #	DESCRI	PTION	LOT#	UDI	
	AR-8973L-38-130	3.8 mm × 130 mm					AR-8973R-38-130	3.8 mn	1 × 130 mm			
	AR-8973L-38-180	3.8 mm × 180 mm					AR-8973R-38-180	3.8 mn	n × 180 mm			
					0							
		_										
			e XP Implant Syster	n			167 "					_
QTY	PRODUCT #	DESCRIPTION					LOT #	UDI				_
	AR-8925SS	Syndesmosis TightR	ope XP Implant Systen	n, stainles	s steel							
	AR-8926SS	Syndesmosis TightR	ope Implant System, s	tainless st	teel							
Was	hers											
QTY	PRODUCT #	DESCRIPTION					LOT #	UDI				
	AR-8870W	Washer, 7 mm										

© 2018 Arthrex, Inc. (USA) LF1-00010-EN\_B; To Order, Call: 1-800-934-4404



Pati	ent Information:		Date:		
			Hospital:		
			Surgeon:		
			·		
Rea	mers				
QTY	PRODUCT #	DESCRIPTION	LOT #	UDI	
	AR-8973-32LS	Reamer, long, cannulated, sterile, 3.2 mm		ENVIOLE ENVIOLE	
	AR-8973-40S	Reamer, cannulated, sterile, 4.0 mm			
	AR-8973-40LS	Reamer, long, cannulated, sterile, 4.0 mm			
Kits	With Disposable	Instruments			
QTY	PRODUCT #	DESCRIPTION	LOT#	UDI	
	AR-8973DS	FibuLock Implant System, sterile Actuation Driver Proximal Reamer, cannulated, 3.2 mm Distal Reamer, cannulated, 6.2 mm Drill, 2 mm Guidewire, spade tip, 1.1 mm × 22 in Guidewire, 1.6 mm x 12 in End Cap			
	AR-8973RK	FibuLock Removal Kit, Sterile Removal Screw Strike Plate Deactivator			
Non	sterile Disposabl	es			
QTY	PRODUCT #	DESCRIPTION	LOT#	UDI	
	AR-8943-38	Guidewire w/ Trocar Tip, threaded, .053 in (1.35 mm × 150 mm)			
	AR-8943-01	Guidewire w/ Trocar Tip, .053 in (1.35 mm × 150 mm)			
	AR-8973-25	Drill Bit, 2.5 mm			
	AR-8973-37	Drill Bit, 3.7 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

© 2018 Arthrex, Inc. (USA) LF1-00010-EN\_B; To Order, Call: 1-800-934-4404



Pat	ient Information:				Date:
					Hospital:
					Surgeon:
					Surgeon.
Low	-Profile Scre	ws, Stainless	Steel		
2.7	mm Nonlockin	g, Cortical			
QTY	PRODUCT #	LENGTH	LOT#	UDI	
	AR-8827-12	12 mm			
	AR-8827-14	14 mm			
	AR-8827-16	16 mm		200	
	AR-8827-18	18 mm			
	AR-8827-20	20 mm			
	AR-8827-22	22 mm			
	AR-8827-24	24 mm		1000	

© 2018 Arthrex, Inc. (USA) LF1-00010-EN\_B; To Order, Call: 1-800-934-4404



Patient Information:	Date:
	Hospital:
	Surgeon:

#### Low-Profile Screws, Stainless Steel

3.5	mm	Non	lockina.	Cortical

3.5	mm Nonlocking		<b></b>	
QTY	PRODUCT #	LENGTH	Illillitiid#	UDI
	AR-8835-14	14 mm		9892 9466
	AR-8835-16	16 mm		
	AR-8835-18	18 mm		
	AR-8835-20	20 mm		
	AR-8835-22	22 mm		
	AR-8835-24	24 mm		
	AR-8835-26	26 mm		
	AR-8835-28	28 mm		
	AR-8835-30	30 mm		
	AR-8835-32	32 mm		
	AR-8835-34	34 mm		
	AR-8835-36	36 mm		
	AR-8835-38	38 mm		
	AR-8835-40	40 mm		

QTY	PRODUCT #	LENGTH	LOT #	UDI
	AR-8835-42	42 mm		
	AR-8835-44	44 mm		
	AR-8835-46	46 mm		
	AR-8835-48	48 mm		
	AR-8835-50	50 mm		
	AR-8835-52	52 mm		2000 2000
	AR-8835-54	54 mm		
	AR-8835-56	56 mm		
	AR-8835-58	58 mm		
	AR-8835-60	60 mm		
	AR-8835-65	65 mm		
	AR-8835-70	70 mm		
	AR-8835-75	75 mm		
	AR-8835-80	80 mm		

© 2018 Arthrex, Inc. (USA) LF1-00010-EN\_B; To Order, Call: 1-800-934-4404



Patient Information:	Date:
	Hospital:
	Surgeon:

#### Low-Profile Screws, Stainless Steel

4 mi	4 mm Short Thread, Cannulated						
QTY	PRODUCT #	LENGTH	LOT #	UDI			
	AR-8840C-40	40 mm					
	AR-8840C-42	42 mm					
	AR-8840C-44	44 mm					
	AR-8840C-46	46 mm					
	AR-8840C-48	48 mm					
	AR-8840C-50	50 mm					
	AR-8840C-55	55 mm		222			
	AR-8840C-60	60 mm					

QTY	PRODUCT #	LENGTH	LOT #	UDI
	AR-8840CL-40	40 mm		22
	AR-8840CL-42	42 mm		
	AR-8840CL-44	44 mm		
	AR-8840CL-46	46 mm		
	AR-8840CL-48	48 mm		
	AR-8840CL-50	50 mm		
	AR-8840CL-55	55 mm		22
	AR-8840CL-60	60 mm		