
© 2023-12 Arthrex, Inc. (USA) LF1-000128-en-US_B. To order, call (800) 934-4404.

	♦	_0
Artr	nreX ®	

Patient Information:	Date:
	Hospital:
	Surgeon:
	<u> </u>

Proximal Humeral Plate

QTY	PRODUCT #	HOLES	LOT#	UDI
	3012-003	3		32
	3012-005	5		
	3012-008	8		
	3012-011	11		200
	3012-014	14		29(C) 20(C)



95° Proximal Humeral Plate

ALPHA Plate, right

QTY	PRODUCT #	HOLES	LOT#	UDI
	3022-003	3		2000 2000 2000
	3022-005	5		



QTY	PRODUCT #	HOLES	LOT#	UDI
	3025-004	4		1500 2500 2500
	3025-005	5		
	3025-007	7		
	3025-011	11		
	3025-014	14		
	3025-016	16		
	3025-018	18		



QTY	PRODUCT #	HOLES	LOT#	UDI
	3024-004	4		
	3024-005	5		1000 1000 1000 1000 1000 1000 1000 100
	3024-007	7		
	3024-011	11		
	3024-014	14		
	3024-016	16		200
	3024-018	18		



This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document. Page 1 of 4

© 2023-12 Arthrex, Inc. (USA) LF1-000128-en-US_B. To order, call (800) 934-4404.

🎨	2
Arthrex	Q

Patient Information:	Date:
	Hospital:
	Surgeon:

Cortical Bone Screws, 3.5 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI	
	8110-020	20 mm			
	8110-022	22 mm		2	U
	8110-024	24 mm			
	8110-026	26 mm			
	8110-028	28 mm			
	8110-030	30 mm			
	8110-032	32 mm			
	8110-035	35 mm			
	8110-040	40 mm			
	8110-045	45 mm			

Locking Screws, 3.5 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI
	8114-020	20 mm		
	8114-022	22 mm		
	8114-024	24 mm		
	8114-026	26 mm		256
	8114-028	28 mm		
	8114-030	30 mm		22
	8114-032	32 mm		2000 2000
	8114-034	34 mm		
	8114-036	36 mm		250 200 200

© 2023-12 Arthrex, Inc. (USA) LF1-000128-en-US_B. To order, call (800) 934-4404.

🎨	2
Arthrex	Q

Patient Information:	Date:
	Hospital:
	Surgeon:

Can	cellous Locking Sc	rew, Fully Thr	eaded, 4.0 mm	
QTY	PRODUCT #	LENGTH	LOT#	UDI
	8124-022	22 mm		68
	8124-024	24 mm		
	8124-026	26 mm		
	8124-028	28 mm		
	8124-030	30 mm		
	8124-032	32 mm		
	8124-034	34 mm		
	8124-036	36 mm		
	8124-038	38 mm		
	8124-040	40 mm		
	8124-042	42 mm		
	8124-044	44 mm		
	8124-046	46 mm		
	8124-048	48 mm		
	8124-050	50 mm		
	8124-052	52 mm		
	8124-054	54 mm		
	8124-056	56 mm		
	8124-058	58 mm		
	8124-060	60 mm		
	8124-065	65 mm		
	8124-070	70 mm		

Cancellous Locking Screw, Partially Threaded, 4.0 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI
	8128-022	22 mm		
	8128-024	24 mm		
	8128-026	26 mm		
	8128-028	28 mm		
	8128-030	30 mm		
	8128-032	32 mm		
	8128-034	34 mm		
	8128-036	36 mm		24
	8128-038	38 mm		24C/26
	8128-040	40 mm		2000
	8128-042	42 mm		
	8128-044	44 mm		
	8128-046	46 mm		
	8128-048	48 mm		
	8128-050	50 mm		
	8128-052	52 mm		
	8128-054	54 mm		200
	8128-056	56 mm		
	8128-058	58 mm		
	8128-060	60 mm		
	8128-065	65 mm		200
	8128-070	70 mm		

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

© 2023-12 Arthrex, Inc. (USA) LF1-000128-en-US_B. To order, call (800) 934-4404.



Patient Information:	Date:	
	Hospital:	
	Surgeon:	

Disposables

QTY	PRODUCT #	DESCRIPTION	LOT#	UDI
	0102-150	Trocar tip guidewire, 2.0 mm × 150 mm		
	0226-100	Cortical tap, AO style, 3.5 mm		
	0237-100	Calibrated drill, AO style, 2.5 mm × 95 mm		
	0250-000	Calibrated drill, long, 2.5 mm × 130 mm		1900 1900 1900 1900 1900 1900 1900 1900
	0254-000	Calibrated step drill, AO style, 3.5 mm/2.5 mm × 130 mm		
	0255-200	Cancellous tap, AO style, 3.5 mm		